

Fence Hog®



Model FH08-36

- Holds up to 36" diameter roll
- Standard cage height is 8 ft.
- Capacity: 100 ft. chain-link, 330 ft. woven wire
- Attaches directly to skid steer loader with universal attachment plate
- Drive forward arm can be positioned on either side of unit to dispense material from right or left
- Choice of chain-link or woven wire stretcher bar included
- Optional 2 ft. and 4 ft. extension
- Optional Tilt swivel for uneven terrain
- Works with various fencing material such as chain-link, woven wire, vinyl coated fabric, snow fence, etc.



Model FH08-24

- Holds up to 24" diameter roll
- Standard cage height is 8 ft.
- Capacity: 50 ft. chain-link, 330 ft. woven wire
- Attaches directly to skid steer loader with universal attachment plate
- Drive forward arm can be positioned on either side of unit to dispense material from right or left
- Choice of chain-link or woven wire stretcher bar included
- Optional 2 ft. and 4 ft. extension
- Optional Tilt swivel for uneven terrain
- Works with various fencing material such as chain-link, woven wire, vinyl coated fabric, snow fence, etc.

Who We Are

For close to 20 years, we have honed our precision metal fabrication services. With roots in the contracting industry, CEO Damian Lang started the EZ Grout equipment line to improve the efficiency on his own masonry job sites. Since then, EZG Manufacturing has expanded to include precast, refractory, cleaning, and fencing equipment along with it's award winning EZ Grout equipment line. We also have our custom fabrication and design shop to meet all of your unique needs.



Model FHW

- Holds up to 22" diameter roll
- Standard cage height is 6 ft.
- Capacity: 50 ft. chain-link, 330 ft. woven wire
- · Attaches directly to mini skid steer loader or walk behind
- Rotating turntable to smoothly dispense fabric

Jason Riggins, R & S Fence

"The Fence Hog saves us a lot of time and cuts down on manpower. Our projects used to take three men and now we only need two, or sometimes even one. The Fence Hog has definitely helped us become more competitive in the commercial market because jobs that used to take us three days now only take us one. Our jobs run a lot smoother and faster by using the Fence Hog."

	#131		11/2	#8//	11/2-1		
1000	Model	Width in.	Empty Weight lb. (kg)	Weight with 2 ft. Extension Ib. (kg)	Weight with 4 ft. Extension lb. (kg)	Dimensions without Extensions in. (cm)	Hydraulic Flow Rate
×	FH08-24	24	1,195 (542)	1,350 (612)	1,545 (701)	32 x 60 x 107 (81 x 152 x 272)	10 gal. @ 2,000 psi min. 35 gal. @ 3,000 psi. max
	FH08-36	36	1,465 (665)	1660 (753)	1,840 (835)	42 x 60 x 107 (107 x 152 x 272)	
_	FHW	24	425 (193)	N/A	N/A	25 x 36 x 81 (64 x 91 x 206)	



