

**BUILT TO
WITHSTAND
THE TOUGHEST
JOBS.**



EZG[®]
Manufacturing

Grip Hog[®] Lifters & PLacers


Grip Hog®

Compressor / Vacuum Backpack / Battery Operated Lifters and Placers

Precisely place and stack pavers with ease— saving time and minimizing injury. Operates with portable gasoline or electric compressors; vacuum powered backpack; or completely cordless with (18v battery).

Features:

- Cuts installation time by 40%
- Single-man (T-handle), two-man (H-handle) and crane-hook models
- Lift pad / head sizes available from 6" (152 mm) diameter up to 12" x 24" (305 x 610 mm)
- Lift capacities vary based on vacuum source supply source, lift pad / head size, object porosity and surface texture.




GRIP-HOG-PP2H KIT
interchangeable two-person / crane hook handle assembly can be applied to any model (compressor, vacuum or battery)



MODEL Specifications	PM-1AIR COMPRESSOR	GRIP-HOG-PPC COMPRESSOR	GRIP-HOG-PPV BACKPACK VAC	GRIP-HOG-PPB BATTERY	GRIP-HOG-PP2H HANDLE KIT
Included Handle	T-Handle	T-Handle	T-Handle	T-Handle	H-Handle kit assembly
Operators	one	one	one	one	two / lifting eye
Dimensions * T-Handle (LxWxH)	18" x 29" (457 x 737 mm)	18.5" x 28.5" (470 x 724 mm)	18.5" x 28.5" (470 x 724 mm)	18.5" x 28.5" (470 x 724 mm)	--
Dimensions: H-Handle (LxWxH)	--	--	--	--	56.5" x 21" x 28.5" (1435 x 533 x 724 mm)
Operating Weight *	7 lbs. (3 kg)	16 lbs. (7 kg)	14 lbs. (6 kg)	34 lbs. (15 kg)	--
Vacuum Power Source	120 PSI @ 6 CFM compressor	100 PSI @ 13 CFM compressor	15amp 110v outlet or generator	18V Milwaukee battery	n/a

* Dimensions reflect the standard assembled unit configuration;
Operating weight includes 6" x 8" (152 X 308 MM) lift pad / head attachment





GRIP-HOG-PPC
w/ handle kit PP2H



GRIP-HOG-PPV
w/ handle kit PP2H



GRIP-HOG-PPB
w/ handle kit PP2H

Head Attachments

A variety of lifting pad / head sizes ensures a proper fit to just about any job. These are interchangeable, working on any of our units regardless of vacuum supply source.

Features:

- Adaptable valve / hose connection
- High density memory foam replaceable gaskets
- Heavy-duty A36, 3/16" steel plate surface for superior rigid strength



LIFT CAPACITIES* Head Attachment Part ID # : Dimensions— L x W	PPC COMPRESSOR	PPV BACKPACK VAC	PPB BATTERY
600-A-27: 4" x 6" (102 x 152 mm)	75 lbs. (34 kg)	N/A	90 lbs. (41 kg)
600-A-25: 6" x 8" (152 x 203 mm)	365 lbs. (166 kg)	124 lbs. (56 kg)	154 lbs. (70 kg)
600-A-26: 4.75" x 9.75" (121 x 248 mm)	227 lbs. (103 kg)	121 lbs. (55 kg)	175 lbs. (79 kg)
600-A-24: 6" x 12" (152 x 305 mm)	245 lbs. (111 kg)	151 lbs. (68 kg)	310 lbs. (141 kg)
600-A-23: 8" x 8" (203 x 203 mm)	272 lbs. (123 kg)	145 lbs. (66 kg)	227 lbs. (103 kg)
600-A-22: 12" x 12" (305 x 305 mm)	771 lbs. (350 kg)	294 lbs. (133 kg)	503 lbs. (228 kg)
600-A-21: 12" x 24" (305 x 610 mm)	1613 lbs. (732 kg)	587 lbs. (266 kg)	1025 lbs. (465 kg)

* The lift capacities provided are approximate and may vary based on factors such as operator strength, the number of operators involved, and the porosity and surface texture of the material being lifted.

Grip Hog PPB/PPC/PPV was tested using a jib crane, load cell with a digital read-out in (lbs.), and a tow strap. Each unit was turned on and suctioned to the floor, had a tow strap wrapped around the units "T-Handle", then lifted until failure. The force in [lbs.] at failure was then documented.

Manufacturer's Warranty



EZG Manufacturing ("EZG") warrants its manufactured products to be free of defects in material or workmanship that develop under normal use for two years.

Warranty period begins on the IN-SERVICE date (date of purchase by the end user of the product, date placed in service by a rental operator, or date of any utilization). All warranty is based on the following limited warranty terms and conditions, including the disclaimer of implied warranties and consequential damages. **Warranty registration is required to establish the in-service date and for the warranty to become effective.**

EZG Limited Warranty & Limitation of Liability Terms:

1. EZG obligation and liability under this warranty is limited to repairing or replacing parts if, after EZG's inspection, there is determined to be a defect in material or workmanship. EZG reserves the choice to repair or replace.
2. If EZG chooses to replace the part, it will be at no cost to the customer and will be made available to the EZG Distributor, Dealer, or Rental Center from whom the End User purchased the product.
3. Replacement or repair parts, installed in the product, are warranted only for the remainder of warranty period of the product as though they were the original parts.
4. EZG does not warranty engines. Engine warranty claims should be made directly to an authorized factory service center for the particular engine manufacturer.
5. EZG's warranty does not cover the normal maintenance of products or its components (such as engine tune-ups and oil & filter changes). The warranty also excludes normal replaceable wear items, i.e. gaskets, wear parts, seals, O-rings, belts, drive chains, clutches, etc. unless such items are deemed to fail due to defective material or workmanship.
6. EZG's warranty will be void if it is determined that the defect resulted from operator abuse, failure to perform normal maintenance on the product, use of non-manufacturer parts, or failure to follow documented service instructions, alterations or modifications made to the product without the written approval of EZG.
7. EZG will pay shop labor on warranty items at the EZG Shop Labor Rate in existence on the date of the warranty claim. EZG technician will determine the time allowed to complete a repair which will govern the shop labor hours to be allowed.
8. EZG will pay freight on warranty replacement parts at worldwide standard ground rates. No warranty replacement parts will be shipped air freight at the expense of EZG. EZG only pays outbound freight charges when sending warranty replacement parts to the customer via ground service. EZG does not pay any inbound freight. However, if EZG determines this to be a warranted item, EZG will then reimburse the customer for inbound freight at standard ground rates.
9. The EZG WARRANTY POLICY WILL NOT COVER THE FOLLOWING: TAXES; SHOP SUPPLIES; ENVIRONMENTAL SURCHARGES; AIR FREIGHT; TRAVEL TIME; LOSS OF TIME; INCONVENIENCE; LOSS OF RENTAL REVENUE; RENTAL COSTS OF EQUIPMENT USED TO REPLACE THE PRODUCT BEING REPAIRED; LOSS OF USE OF THE PRODUCT; COMMERCIAL LOSS; OR ANY OTHER CHARGES WHATSOEVER OR ANY LIABILITIES FOR DIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGE OR DELAY.
10. EZG MANUFACTURING MAKES NO OTHER WARRANTY, EXPRESSED OR IMPLIED. THIS LIMITED WARRANTY IS IN LIEU OF THE WARRANTY OF MERCHANTABILITY AND FITNESS. THERE ARE NO OTHER WARRANTIES THAT EXTEND BEYOND THE DESCRIPTION ON THIS DOCUMENT.
11. No EZG Manufacturing employee or representative is authorized to change this warranty in any way or grant any other warranty unless such change is made in writing and signed by an officer of EZG Manufacturing.

WARRANTY REGISTRATION IS REQUIRED TO ESTABLISH THE IN-SERVICE DATE AND FOR THE WARRANTY TO BE EFFECTIVE.



WARRANTY EXCLUSIONS:

EZG 2-year manufacturing warranty excludes sourced products tools and consumables such as but not limited to marking paint, gloves, snips, tape measures, chisels, hammers, caulk guns, straps, brooms, sprayers, squares, levels, tripods, masks, blades, and wheels unless otherwise noted. Other exclusions may apply.



1-800-417-9272 | ezgmfg.com | sales@ezgmfg.com
1833 N. Riverview Rd., Malta, OH 43758

EZG Manufacturing is a division of EZ Grout Corporation. All EZG Manufacturing products are backed by our two-year warranty on parts unless otherwise stated and are now available for order. Information in this catalog is subject to change.